

MINISTRY OF EDUCATION AND SCIENCE OF UKRAINE

**O. M. BEKETOV NATIONAL UNIVERSITY
of URBAN ECONOMY in KHARKIV**

METHODOLOGICAL RECOMMENDATIONS

for conducting practical classes and organizing independent work
in the academic discipline

«URBAN ENGINEERING NETWORKS»

*(for students of the first (bachelor's) level of higher education of all forms of study in
the specialty 192 – Construction and Civil Engineering,
field of knowledge 19 – Architecture and Construction,
educational program "Civil Engineering")*

**Kharkiv
O. M. Beketov NUUE
2025**

Methodological recommendations for conducting practical classes and organizing independent work in the academic discipline «Urban Engineering Networks» for students of the first (bachelor's) level of higher education of all forms of study in the specialty 192 – Construction and Civil Engineering, field of knowledge 19 – Architecture and Construction, educational program «Civil Engineering» / O. M. Beketov National University of Urban Economy in Kharkiv ; comp. Y. Burda. – Kharkiv : O. M. Beketov NUUE, 2025. – 67 p.

Compiler PhD in Technical Sciences, Associate Professor Y. Burda

Reviewer

R. Tkachenko, PhD in Technical Sciences, Associate Professor of the Department of Heat and Gas Supply and Ventilation (O. M. Beketov National University of Urban Economy in Kharkiv)

*Recommended by the Department of Heat and Gas Supply and Ventilation,
Protocol № 5 dated 12.12.2024*

Urban engineering networks represent the backbone of modern cities, ensuring the continuous operation of essential services such as water supply, wastewater removal, heating, gas distribution, electricity, and communication systems. These networks are intricately integrated into the urban fabric, responding to the demands of growing populations, increasing urban density, and evolving technological standards. Their design, development, and maintenance require a multidisciplinary approach that considers spatial constraints, environmental impacts, and energy efficiency.

CONTENT

1	PRINCIPLES OF DESIGNING AND OPERATING WATER SUPPLY AND SEWERAGE SYSTEMS IN URBAN AREAS.....	5
	PRACTICAL WORK TASK TOPIC 1	6
2	ANALYSIS OF HYDRAULIC PARAMETERS IN URBAN WATER NETWORKS.....	7
	PRACTICAL WORK TASK TOPIC 2	9
3	APPLICATION OF HYDRAULIC CALCULATIONS IN WATER DISTRIBUTION SYSTEMS	10
	PRACTICAL WORK TASK TOPIC 3	12
4	IMPLEMENTATION OF MODERN WASTEWATER TREATMENT TECHNOLOGIES IN URBAN INFRASTRUCTURE.....	13
	PRACTICAL WORK TASK TOPIC 4	16
5	DEVELOPMENT OF SUSTAINABLE STRATEGIES FOR WATER AND SEWER NETWORKS IN EXPANDING CITIES	17
	PRACTICAL WORK TASK TOPIC 5	20
6	METHODS FOR EFFECTIVE MAINTENANCE AND MANAGEMENT OF URBAN WATER AND SEWER NETWORKS	21
	PRACTICAL WORK TASK TOPIC 6	25
7	STRUCTURAL AND FUNCTIONAL ASPECTS OF URBAN HEAT SUPPLY SYSTEMS	25
	PRACTICAL WORK TASK TOPIC 7	29
8	DESIGN PRINCIPLES AND EFFICIENCY OPTIMIZATION IN GAS DISTRIBUTION NETWORKS.....	29
	PRACTICAL WORK TASK TOPIC 8	32
9	INTEGRATION OF RENEWABLE ENERGY SOURCES INTO URBAN HEAT AND GAS SUPPLY	33
	PRACTICAL WORK TASK TOPIC 9	37
10	ANALYSIS OF HEAT LOSSES AND METHODS FOR ENHANCING EFFICIENCY IN URBAN HEAT NETWORKS.....	37
	PRACTICAL WORK TASK TOPIC 10	40
11	RISK ASSESSMENT AND SAFETY MEASURES IN URBAN GAS SYSTEMS	41
	PRACTICAL WORK TASK TOPIC 11	44
12	PRINCIPLES OF URBAN ENGINEERING NETWORK PLANNING AND DESIGN	45
	PRACTICAL WORK TASK TOPIC 12	48

13 TECHNOLOGICAL APPROACHES TO LAYING WATER, SEWER, AND HEAT NETWORKS	49
PRACTICAL WORK TASK TOPIC 13	53
14 ENVIRONMENTAL IMPACT ASSESSMENT IN URBAN ENGINEERING NETWORK PLACEMENT.....	53
PRACTICAL WORK TASK TOPIC 14	57
15 OVERCOMING CHALLENGES IN LAYING NETWORKS IN HIGH- DENSITY URBAN AREAS.....	57
PRACTICAL WORK TASK TOPIC 15	61
16 IMPLEMENTATION OF SMART TECHNOLOGIES IN THE DEVELOPMENT OF URBAN ENGINEERING NETWORKS.....	61
PRACTICAL WORK TASK TOPIC 16	65
LIST OF RECOMMENDED SOURCES	66

1 PRINCIPLES OF DESIGNING AND OPERATING WATER SUPPLY AND SEWERAGE SYSTEMS IN URBAN AREAS

Purpose of the lesson.

The study of principles governing the design and operation of water supply and sewerage systems in urban areas is essential for ensuring efficient distribution of potable water and effective removal of wastewater. This work aims to explore the key factors influencing system design, functional characteristics, and operational challenges to enhance sustainability and reliability.

Theoretical provisions.

Water supply and sewerage systems in urban environments are complex infrastructures that require careful planning to ensure reliability, efficiency, and compliance with regulatory standards. The design of water supply systems involves the determination of sources, treatment processes, storage facilities, and distribution networks. The sewerage system, in contrast, focuses on wastewater collection, transportation, treatment, and disposal. Both systems must integrate resilience measures to accommodate population growth and environmental concerns while ensuring compliance with health and safety standards.

Main part.

Water supply systems in urban areas rely on diverse water sources, including surface water and groundwater. The selection of an appropriate source depends on quality, quantity, and sustainability criteria. Once extracted, water undergoes a series of treatments such as coagulation, sedimentation, filtration, and disinfection to ensure it meets potable water standards. Storage reservoirs play a crucial role in maintaining water availability, balancing supply fluctuations, and providing emergency reserves. The distribution network, typically composed of pipes, pumps, and control valves, is designed to deliver water efficiently to consumers while maintaining adequate pressure and minimizing losses.

Urban sewerage systems are classified into separate, combined, and partially separate systems. Separate systems convey stormwater and wastewater in distinct pipelines, reducing the risk of overflows and treatment inefficiencies. Combined

systems transport both stormwater and wastewater in a single conduit, which may pose challenges during heavy rainfall due to increased hydraulic loads. Partially separate systems aim to optimize flow management by directing surface runoff separately from domestic and industrial effluents.

The operational efficiency of water supply and sewerage systems depends on network design, material selection, and maintenance practices. Leak detection, pressure management, and pipeline rehabilitation are essential for reducing losses in water supply systems. Sewer networks require regular inspections, cleaning, and structural assessments to prevent blockages and minimize infiltration.

Emerging technologies, including real-time monitoring, automated control systems, and smart metering, contribute to improved system performance. Water demand management strategies, such as leakage reduction programs and consumer awareness campaigns, further enhance sustainability. Climate change considerations necessitate adaptive strategies to cope with variations in water availability and increased flood risks, requiring integrated water resource management approaches.

PRACTICAL WORK TASK TOPIC 1

Theoretical questions

1. What are the key components of an urban water supply system, and how do they function together?
2. How do separate and combined sewerage systems differ in terms of design and operational challenges?
3. What role do storage reservoirs play in maintaining a stable urban water supply?
4. How can emerging technologies improve the efficiency and sustainability of water supply and sewerage systems?
5. What strategies can be implemented to enhance resilience in urban water supply and sewerage infrastructure?

2 ANALYSIS OF HYDRAULIC PARAMETERS IN URBAN WATER NETWORKS

Purpose of the lesson.

The analysis of hydraulic parameters in urban water networks is essential for ensuring the efficient and reliable distribution of potable water to consumers. Understanding these parameters helps to optimize system performance, reduce water losses, and ensure the sustainable operation of water supply systems. This practical work aims to explore the key hydraulic parameters influencing water distribution networks, including pressure, flow rates, velocity, and head loss, and to evaluate methods for optimizing these parameters.

Theoretical provisions.

Urban water distribution systems rely on a network of pipes, valves, pumps, and reservoirs to deliver water from treatment plants to end-users. The hydraulic design of these networks plays a crucial role in determining their efficiency and reliability. Key hydraulic parameters in water distribution systems include flow rate, pressure, velocity, and head loss. These parameters must be carefully managed to ensure the system meets the required water demands while maintaining optimal performance.

Flow rate refers to the volume of water passing through a pipe over a specific period of time, typically measured in liters per second (L/s) or cubic meters per hour (m³/h). The flow rate is directly related to the water demand of the area served by the network, and it is crucial for determining the appropriate pipe sizes and pump capacities.

Pressure is another critical hydraulic parameter. Adequate pressure is required throughout the distribution system to ensure water reaches all consumers at the desired flow rate. The pressure in the system is affected by factors such as the elevation of the water source, the frictional losses in the pipes, and the flow rate. Too high or too low pressure can lead to inefficiencies or even damage to the system, so maintaining the correct pressure is essential for the network's operation.

Velocity, the speed at which water flows through the pipes, is another important factor. High velocity can cause erosion and wear on the pipes, leading to increased

maintenance costs and the potential for system failures. On the other hand, low velocity can result in stagnant water, which can lead to water quality issues, including bacterial growth. The velocity should be optimized to balance these concerns.

Head loss, the reduction in pressure that occurs as water flows through the network, is caused by friction and turbulence within the pipes. Head loss can be calculated using various methods, including the Darcy-Weisbach equation or empirical formulas. It is crucial to minimize head loss to ensure that water is delivered efficiently without excessive energy consumption.

Main part.

The hydraulic analysis of an urban water network involves several steps, starting with the calculation of flow rates and pressures at various points in the system. Using the Hazen-Williams or Darcy-Weisbach equation, engineers can estimate the pressure drop across a pipe based on its diameter, length, material, and flow rate. These calculations help to identify areas where pressure may be insufficient and where additional pumps or pressure regulators may be needed.

Velocity calculations are essential for determining the optimal pipe sizes. If the velocity is too high, the system may experience increased friction losses, while if it is too low, the system may struggle to meet consumer demand. By optimizing pipe sizes and ensuring that the velocity falls within an acceptable range, the network can operate more efficiently and with fewer risks of damage or water quality issues.

Head loss is another key factor in hydraulic analysis. Friction losses are calculated based on the roughness of the pipe material and the flow rate, and these losses increase with the length of the pipe. Additionally, fittings such as valves, elbows, and tees contribute to head loss. Regular monitoring and maintenance of the pipes can help to reduce frictional losses, and the use of advanced materials can improve the overall efficiency of the system.

One of the challenges in urban water networks is managing pressure fluctuations. Pressure variations can occur due to changes in water demand, the operation of pumps, or the influence of topography. Hydraulic models are used to simulate these variations and to design pressure control systems that can adapt to changes in the network. In

modern systems, real-time monitoring technologies such as Supervisory Control and Data Acquisition (SCADA) systems can provide valuable data on hydraulic parameters and allow operators to make real-time adjustments to optimize system performance.

Energy efficiency is another critical consideration in the hydraulic analysis of urban water networks. By reducing head losses and optimizing the design of pumps and valves, the energy required to transport water can be minimized, reducing operational costs and environmental impact. Additionally, the use of energy-efficient pumps and the implementation of pressure-reducing valves can contribute to the overall efficiency of the system.

Emerging technologies, such as smart meters and advanced simulation tools, are enhancing the ability to analyze and optimize hydraulic parameters. These technologies provide real-time data, enabling better decision-making and more efficient management of water resources.

PRACTICAL WORK TASK TOPIC 2

Theoretical questions

1. What are the key hydraulic parameters in urban water networks, and how do they affect system performance?
2. How are flow rate and pressure related in a water distribution network, and why is this relationship important?
3. What is head loss, and how can it be minimized in water distribution systems?
4. How does the velocity of water flow influence the design and operation of water distribution networks?
5. What role do emerging technologies, such as SCADA and smart meters, play in optimizing the hydraulic performance of water networks?

3 APPLICATION OF HYDRAULIC CALCULATIONS IN WATER DISTRIBUTION SYSTEMS

Purpose of the lesson.

The application of hydraulic calculations in water distribution systems is essential for designing and managing effective, reliable, and efficient water supply networks. Hydraulic calculations are used to predict and optimize system behavior under various operating conditions, ensuring adequate pressure, flow rate, and velocity are maintained throughout the network. This practical work focuses on the principles of hydraulic calculations and their role in designing water distribution systems that can meet both current and future demand, while minimizing energy consumption and operational costs.

Theoretical provisions.

Hydraulic calculations are at the core of the design and optimization of water distribution systems. These calculations involve evaluating parameters such as pressure, flow rates, velocity, and head loss, which are critical to the network's performance. The aim is to ensure that water can be delivered efficiently and reliably to consumers, meeting the required pressure and flow at all points in the system.

One of the key components of hydraulic calculations is determining the pipe sizes and layout of the system. The required pipe diameter is influenced by the expected flow rate, velocity, and pressure loss across the network. The Darcy-Weisbach equation, which is based on fluid dynamics principles, is commonly used to calculate head loss due to friction along pipes. This equation accounts for factors like pipe roughness, length, diameter, and flow velocity. Another widely used empirical formula for this calculation is the Hazen-Williams equation, which is easier to apply for water flow in pipes under steady-state conditions.

In addition to head loss, hydraulic calculations must consider the demand patterns within the distribution system. Water demand is rarely constant, and as such, variations in consumer usage and system operation must be incorporated into the hydraulic model. Peak demand periods, fire flows, and other emergency conditions can create temporary spikes in required flow rates, which must be accounted for in the system

design. The design must ensure that the system can meet peak demands without excessive pressure drops or flow restrictions.

Pressure is a crucial parameter in hydraulic calculations. Sufficient pressure must be maintained throughout the network to ensure that water reaches all consumers and that it does so with adequate flow rates. Pressure loss, which occurs as water flows through pipes, is influenced by factors such as friction, pipe length, and pipe material. Calculating the required pressure at different points in the system helps to determine the location and capacity of pumps, pressure-reducing valves, and storage reservoirs.

Another important factor in hydraulic calculations is the velocity of water flow. The velocity determines the flow characteristics within the pipes and affects the amount of energy required to move the water. Excessively high velocity can cause erosion and damage to the pipes, leading to increased maintenance costs and system failures. Conversely, very low velocity can result in water stagnation and potential quality issues. As such, velocity must be optimized to balance system efficiency and long-term performance.

Main part.

To apply hydraulic calculations in water distribution systems, engineers typically begin by modeling the system layout, including the water source, treatment plants, storage reservoirs, and distribution network. The first step in the calculation process is determining the expected water demand, including both average and peak demand. This involves evaluating historical consumption patterns and accounting for population growth, changes in land use, and other factors that could impact future demand.

Next, engineers calculate the appropriate pipe diameters based on the flow rate and desired velocity. The Darcy-Weisbach or Hazen-Williams equations are used to estimate head loss along the length of the pipe, which is then factored into the overall pressure calculations. These calculations help to determine whether the system can provide adequate pressure at all points, especially during peak demand.

Once the pressure requirements are established, engineers assess the need for pumps, pressure-reducing valves, and other components to maintain or regulate pressure within the network. Pump performance curves are used to select pumps that

can meet the flow and pressure requirements of the system while minimizing energy consumption. Pressure-reducing valves are installed in areas where excessive pressure could lead to pipe damage or operational inefficiencies.

In parallel with these calculations, engineers use hydraulic models to simulate the performance of the system under various scenarios. These models can simulate real-time changes in demand, weather conditions, and other factors that might impact system performance. By running different scenarios, engineers can identify potential weaknesses in the design, such as areas where flow rates may fall below required levels or where pressure may be insufficient.

Energy efficiency is a key consideration in hydraulic calculations. The design of the system should minimize head losses and ensure that pumps operate within their optimal efficiency range. By reducing energy consumption, the system can operate more sustainably and cost-effectively. Technologies such as variable speed drives (VSD) and pressure-regulating systems can be employed to optimize pump operation and reduce energy use during periods of low demand.

Modern tools, including Geographic Information Systems (GIS) and advanced hydraulic modeling software, allow engineers to perform these calculations more efficiently and accurately. These tools enable real-time monitoring of system performance and provide insights into potential system failures before they occur.

Finally, after the initial design and hydraulic calculations are completed, ongoing monitoring and maintenance are essential to ensure that the system continues to operate as expected. This includes routine pressure testing, flow measurement, and the detection of leaks or blockages that could impact system performance.

PRACTICAL WORK TASK TOPIC 3

Theoretical questions

1. What is the role of hydraulic calculations in the design of urban water distribution systems?

2. How do the Darcy-Weisbach and Hazen-Williams equations differ in their application to water distribution systems?
3. Why is maintaining optimal velocity in the pipes important for the long-term performance of a water distribution network?
4. How do pressure-reducing valves and pumps contribute to the efficiency and reliability of water distribution systems?
5. What are the benefits of using modern tools such as GIS and hydraulic modeling software in the application of hydraulic calculations?

4 IMPLEMENTATION OF MODERN WASTEWATER TREATMENT TECHNOLOGIES IN URBAN INFRASTRUCTURE

Purpose of the lesson.

The implementation of modern wastewater treatment technologies is crucial for ensuring the sustainable management of urban water systems. This practical work explores the latest advancements in wastewater treatment processes, their integration into urban infrastructure, and their role in enhancing environmental sustainability. By focusing on innovative solutions, students will gain insights into the challenges and benefits of modern wastewater treatment technologies in urban settings.

Theoretical provisions.

Wastewater treatment is a critical component of urban infrastructure, essential for safeguarding public health and protecting the environment. Traditional treatment methods, such as primary and secondary treatment processes, are still widely used, but modern technologies have introduced more efficient, sustainable, and cost-effective alternatives. These advanced systems address issues like nutrient removal, energy consumption, and the need for stricter environmental regulations.

Modern wastewater treatment technologies encompass a variety of methods aimed at improving the quality of treated water and reducing the environmental impact of effluent discharge. Among the most notable advancements are membrane filtration, advanced oxidation processes, biological nutrient removal (BNR), and resource recovery technologies. These technologies are designed to meet the increasing

demands of urban populations, reduce the ecological footprint of wastewater treatment plants, and ensure compliance with increasingly stringent regulations.

Membrane filtration technology is used in both municipal and industrial wastewater treatment systems to remove particles, bacteria, and other contaminants from water. This technology uses semi-permeable membranes to separate contaminants from clean water, resulting in high-quality effluent. There are several types of membrane filtration systems, including microfiltration, ultrafiltration, and reverse osmosis, each with different capabilities and applications.

Advanced oxidation processes (AOPs) represent another innovation in wastewater treatment. These processes utilize highly reactive chemicals, such as hydroxyl radicals, to break down contaminants that are resistant to conventional treatment methods. AOPs are particularly effective in treating micropollutants, pharmaceuticals, and personal care products that are commonly found in wastewater but are difficult to remove using traditional methods.

Biological nutrient removal (BNR) is a biological treatment process designed to remove nitrogen and phosphorus from wastewater. Excessive nitrogen and phosphorus in treated effluent can lead to eutrophication, causing water quality degradation in receiving bodies. BNR systems use specific microbial processes to convert nitrogen into nitrogen gas and phosphorus into biological forms that can be removed from the system. These systems are often employed in conjunction with activated sludge or other biological treatment processes to meet nutrient discharge limits.

Resource recovery technologies focus on transforming wastewater treatment byproducts, such as biosolids and methane, into valuable resources. These byproducts can be used for energy generation, fertilizer production, or other applications, creating a more circular and sustainable wastewater treatment process. Technologies such as anaerobic digestion are used to produce biogas from organic waste, which can be used as a renewable energy source.

One of the key advantages of these modern technologies is their ability to reduce the environmental impact of wastewater treatment plants. By improving the quality of treated water, reducing energy consumption, and recovering resources, these

technologies help mitigate the pollution load on water bodies and decrease greenhouse gas emissions. They also enable wastewater treatment plants to operate more efficiently, even as urban populations continue to grow and wastewater volumes increase.

In addition to the technological advancements, the integration of real-time monitoring systems and automation has greatly enhanced the efficiency of wastewater treatment plants. These systems enable continuous data collection and analysis, allowing operators to optimize treatment processes and respond quickly to changing conditions. Automation helps reduce the need for manual intervention and improves the overall management of wastewater treatment facilities.

Main part.

The implementation of modern wastewater treatment technologies in urban infrastructure begins with the design and construction of treatment plants that incorporate these advanced systems. The first step in the process is assessing the specific needs of the urban area, including population size, wastewater composition, and local environmental conditions. This assessment helps to identify the most appropriate treatment technologies for the area.

For example, membrane filtration systems are often selected for urban areas with high water quality requirements or where potable water reuse is desired. These systems can be installed as part of a wastewater treatment plant to produce water that can be reused for non-potable purposes, such as irrigation or industrial processes. In some cases, reverse osmosis is used to produce treated water of sufficient quality for potable reuse, which is an emerging trend in water-scarce regions.

Advanced oxidation processes are typically employed in areas where micropollutants are a significant concern. These pollutants are often found in urban wastewater due to the presence of pharmaceuticals, personal care products, and other chemicals. AOPs offer a powerful method for degrading these contaminants, ensuring that treated effluent meets regulatory standards for water quality.

Biological nutrient removal systems are critical for urban wastewater treatment, particularly in areas near sensitive ecosystems or water bodies that are susceptible to

eutrophication. By removing excess nitrogen and phosphorus, BNR systems help protect water quality in receiving bodies and prevent the growth of harmful algal blooms. These systems are often combined with other treatment processes, such as activated sludge, to provide a comprehensive solution for nutrient removal.

Resource recovery technologies are increasingly being integrated into wastewater treatment plants as part of efforts to create a circular economy. Anaerobic digestion systems are widely used to convert organic waste into biogas, which can be used to generate electricity or heat. This not only reduces the carbon footprint of the treatment process but also provides an additional source of renewable energy.

The integration of real-time monitoring systems is essential for optimizing the operation of modern wastewater treatment technologies. These systems allow operators to monitor key parameters such as flow rates, chemical dosing, and effluent quality in real time. Automation technologies can also be used to adjust treatment processes based on real-time data, ensuring optimal performance and minimizing the need for manual intervention.

Once the technologies are implemented, ongoing maintenance and monitoring are crucial to ensure their continued performance. Regular inspections, cleaning, and calibration of equipment are necessary to prevent system failures and ensure that the technologies operate efficiently. Additionally, data analytics can be used to predict maintenance needs and optimize operational strategies, further enhancing the sustainability of wastewater treatment plants.

PRACTICAL WORK TASK TOPIC 4

Theoretical questions

1. How do membrane filtration systems contribute to the improvement of wastewater treatment in urban areas?
2. What are the key advantages of advanced oxidation processes in the treatment of urban wastewater?

3. How do biological nutrient removal systems help prevent eutrophication in receiving bodies?
4. What role do resource recovery technologies play in creating a more sustainable wastewater treatment process?
5. How does the integration of real-time monitoring and automation improve the efficiency of wastewater treatment plants?

5 DEVELOPMENT OF SUSTAINABLE STRATEGIES FOR WATER AND SEWER NETWORKS IN EXPANDING CITIES

Purpose of the lesson.

The development of sustainable strategies for water and sewer networks in expanding cities is essential for ensuring that urban growth does not outpace the capacity of vital infrastructure systems. This practical work focuses on identifying key strategies for the design, management, and improvement of water and sewer networks in rapidly growing urban areas. By understanding the challenges associated with urban expansion and the need for sustainability, students will learn how to apply innovative solutions to create resilient, efficient, and environmentally responsible water and sewer systems.

Theoretical provisions.

As cities continue to expand, the demand for water supply and sewerage systems increases, often putting strain on existing infrastructure. Sustainable water and sewer network strategies are necessary to address the challenges posed by urban growth, climate change, population density, and environmental concerns. Such strategies aim to ensure that water and sewer systems are not only capable of handling current demands but are also adaptable to future needs.

The key aspects of sustainable water and sewer networks in expanding cities include system resilience, resource conservation, energy efficiency, and environmental protection. Resilience refers to the ability of water and sewer systems to withstand external pressures, such as population growth, climate variability, and natural disasters, while continuing to provide reliable services. Effective management of resources, such

as water conservation and wastewater recycling, can help reduce demand and minimize environmental impact.

Energy efficiency is another important component of sustainable strategies. Water and sewer networks consume significant amounts of energy, particularly in pumping and treatment processes. Optimizing energy use and incorporating renewable energy sources into these systems can significantly reduce their carbon footprint. Additionally, resource recovery methods, such as biogas production from wastewater, can help offset energy consumption and create a more sustainable energy cycle.

The integration of green infrastructure is another emerging trend in the development of sustainable water and sewer networks. Green infrastructure refers to the use of natural systems, such as wetlands, vegetated swales, and permeable pavements, to manage stormwater, reduce flood risks, and improve water quality. This approach helps cities manage water sustainably by reducing the need for extensive gray infrastructure and increasing the ability of urban areas to cope with changing climate conditions.

One of the primary challenges in expanding urban areas is the management of increasing volumes of wastewater. As populations grow, the volume of wastewater generated by households and industries increases. Efficient wastewater treatment technologies and systems are necessary to prevent pollution and protect water resources. Sustainable strategies for wastewater treatment include the use of decentralized treatment systems, such as small-scale membrane bioreactors and constructed wetlands, which can be implemented on a neighborhood scale.

In addition to technical solutions, sustainable strategies for water and sewer networks must also involve policy and governance frameworks that support long-term infrastructure planning. Urban planning that considers the integration of water and sewer systems with other critical infrastructure—such as transportation and energy networks—can lead to more holistic, efficient, and sustainable urban development. Moreover, public engagement and education are vital to ensure that communities understand the importance of water conservation, waste reduction, and the benefits of sustainable water and sewer systems.

Main part.

In expanding cities, the development of sustainable strategies for water and sewer networks requires a comprehensive approach that considers both technical and non-technical factors. The first step in creating a sustainable water and sewer system is assessing the current infrastructure and identifying potential weaknesses. This assessment should consider factors such as system capacity, leakage rates, energy consumption, and environmental impact. For example, older water pipes and sewer systems may require significant upgrades or replacements to improve efficiency and reduce losses.

One key strategy for improving the sustainability of water networks in expanding cities is to implement water-saving technologies and practices. These may include the installation of low-flow fixtures, the promotion of rainwater harvesting, and the use of water-efficient irrigation systems. Additionally, public awareness campaigns can encourage citizens to reduce water consumption by adopting more sustainable habits, such as fixing leaks and using water-efficient appliances.

Another critical aspect of sustainability is the integration of alternative water sources into the city's water supply network. For instance, wastewater reuse systems can help offset the demand for potable water by treating and recycling wastewater for non-potable uses, such as irrigation, industrial processes, or toilet flushing. In areas where water scarcity is a concern, desalination technologies may also be considered, though they require careful management of energy use and environmental impacts.

To address the growing challenge of wastewater management, expanding cities must invest in modern treatment technologies. Traditional centralized treatment plants may be insufficient to handle the increased volume of wastewater in rapidly growing urban areas. Decentralized treatment systems offer an innovative solution by treating wastewater locally at the neighborhood or district level. These systems can reduce the strain on central plants and improve the efficiency of treatment processes. Membrane bioreactors, constructed wetlands, and aerobic treatment units are examples of decentralized systems that can be used to treat wastewater in an environmentally sustainable manner.

The development of green infrastructure is particularly important in urban areas prone to flooding or experiencing high rates of stormwater runoff. By incorporating features such as permeable pavements, green roofs, and bio-retention areas, cities can manage stormwater more effectively, reduce flood risks, and improve water quality. These natural systems also provide additional benefits, such as improving urban aesthetics and enhancing biodiversity.

In terms of governance, cities need to adopt integrated water management approaches that coordinate water, sewer, and stormwater systems with other urban infrastructure. This holistic approach can help optimize resource allocation and ensure that infrastructure investments are aligned with the broader goals of sustainable urban development. Moreover, cities should implement long-term infrastructure planning that anticipates future growth, allowing for the gradual expansion of water and sewer networks in line with population increases.

Finally, the implementation of real-time monitoring and smart technologies can enhance the efficiency of water and sewer systems. Smart meters, sensors, and automated control systems enable operators to track water usage, detect leaks, and optimize system performance. These technologies can also provide valuable data for long-term planning and decision-making, helping cities adapt to changing conditions and respond more effectively to issues as they arise.

PRACTICAL WORK TASK TOPIC 5

Theoretical questions

1. What are the key challenges in developing sustainable water and sewer networks in expanding cities?
2. How can water-saving technologies and practices help improve the sustainability of water networks?
3. What are the advantages of decentralized wastewater treatment systems in rapidly growing urban areas?

4. How does the integration of green infrastructure contribute to sustainable stormwater management in cities?

5. In what ways can smart technologies and real-time monitoring improve the efficiency of water and sewer systems?

6 METHODS FOR EFFECTIVE MAINTENANCE AND MANAGEMENT OF URBAN WATER AND SEWER NETWORKS

Purpose of the lesson.

The effective maintenance and management of urban water and sewer networks are essential for ensuring the long-term sustainability, reliability, and efficiency of these critical infrastructures. This practical work aims to explore the various strategies and methods used in maintaining and managing water and sewer networks in urban areas. By examining the techniques for minimizing failures, optimizing resource use, and improving service quality, students will gain insight into the best practices and innovative solutions that ensure the efficient operation of water and sewer systems.

Theoretical provisions.

Urban water and sewer networks are integral to maintaining public health and environmental sustainability in cities. As cities grow and evolve, the complexity of managing water supply and wastewater systems increases. Efficient maintenance and management of these networks are vital for minimizing system downtime, reducing operating costs, extending infrastructure lifespan, and ensuring regulatory compliance.

Maintenance activities for water and sewer networks can be categorized into preventive, corrective, and predictive maintenance. Preventive maintenance involves routine inspections, cleaning, and monitoring of systems to identify and address potential issues before they cause significant disruptions. This type of maintenance aims to reduce the occurrence of unexpected failures by implementing regular maintenance schedules and monitoring key system parameters. Preventive strategies also include the replacement of aging components before they reach the end of their operational life, thereby reducing the risk of system breakdowns.

Corrective maintenance, on the other hand, focuses on addressing issues that arise unexpectedly. This may involve repairing leaks, replacing damaged components, or resolving operational issues caused by malfunctioning equipment. While corrective maintenance is necessary, it tends to be more costly and disruptive compared to preventive measures. Therefore, minimizing the need for corrective maintenance through preventive efforts is a key goal of effective network management.

Predictive maintenance utilizes advanced technologies, such as sensors, real-time monitoring, and data analytics, to predict when system components are likely to fail. By analyzing data from various sensors placed within the network, operators can predict when maintenance or replacement is needed, preventing unplanned disruptions and reducing costs associated with emergency repairs. Predictive maintenance is particularly beneficial for large, complex networks, as it enables more efficient resource allocation and better planning.

Effective management of urban water and sewer networks also requires comprehensive asset management. Asset management involves tracking the condition, performance, and lifespan of each component within the system. By maintaining detailed records of each asset, cities can prioritize maintenance activities, optimize replacement schedules, and ensure that resources are allocated effectively. This strategy also helps identify potential vulnerabilities in the system and plan for future upgrades and expansions.

Another crucial aspect of network management is the integration of smart technologies and digital tools. Advanced metering systems, such as smart water meters, provide real-time data on water usage, leaks, and system performance. These systems enable better decision-making and more proactive management of water resources. Similarly, the use of geographic information systems (GIS) helps operators monitor and map the layout of the entire network, improving the ability to respond quickly to problems and plan for future expansions or upgrades.

Operational efficiency is another key factor in the effective management of water and sewer networks. Techniques such as pressure management in water distribution systems and flow control in sewer systems can reduce energy consumption, minimize

water losses, and optimize wastewater treatment processes. Additionally, strategies for reducing non-revenue water, such as addressing leakage and illegal connections, are critical for maintaining system profitability and ensuring sustainable operations.

Main part.

The maintenance and management of urban water and sewer networks require a structured approach to ensure that resources are used efficiently and that the networks operate smoothly. One fundamental aspect of network management is preventive maintenance, which includes regular inspections of pipelines, pumps, treatment plants, and other key infrastructure components. These inspections aim to identify any signs of wear, corrosion, or blockage before they lead to system failures. For instance, in water supply networks, regular cleaning of pipes and reservoirs ensures that contaminants do not compromise water quality or cause clogging.

Preventive maintenance also involves the calibration and testing of equipment, such as pumps and valves, to ensure they function correctly. For sewer systems, routine cleaning and the removal of debris from pipelines can prevent blockages and overflows, which are common causes of system failure. Using automated tools such as drones or robots for inspections can also improve the efficiency of maintenance processes, particularly in hard-to-reach or hazardous areas.

Corrective maintenance is an inevitable part of network management, especially in older systems where infrastructure may be deteriorating. This type of maintenance often requires quick response times to address issues like burst pipes, pump malfunctions, or sewer blockages. An effective corrective maintenance strategy involves having a well-trained maintenance team, as well as a robust inventory management system to ensure the availability of necessary spare parts and tools. Rapid response teams equipped with mobile units can expedite repairs and minimize the time networks are out of service.

Predictive maintenance, enabled by modern sensor technologies and data analytics, plays an increasingly important role in proactive network management. Sensors installed within water and sewer networks can monitor key parameters, such as flow rates, pressure, and water quality, and transmit real-time data to central

monitoring systems. By analyzing this data, operators can detect anomalies, such as sudden drops in pressure or changes in water quality, that may indicate impending failures. Predictive maintenance allows cities to schedule maintenance activities during non-peak times, minimizing disruption and reducing costs associated with emergency repairs.

Asset management is another critical element in the effective management of water and sewer systems. By maintaining a detailed inventory of all network assets—such as pipes, pumps, treatment facilities, and storage tanks—cities can better plan for replacements and upgrades. The use of GIS technology can map the location and condition of these assets, providing operators with a comprehensive overview of the system. This enables more effective prioritization of maintenance efforts, ensuring that resources are allocated to the most critical areas.

Smart technologies, including smart meters and real-time monitoring systems, are transforming the way water and sewer networks are managed. Smart meters allow utilities to track water consumption in real time, providing valuable data on leaks and unusual consumption patterns. This enables faster identification of issues, such as leaks or illegal connections, and promotes more efficient water use. Additionally, integrating sensors into sewer systems can help detect blockages or overflows before they lead to major issues.

Operational efficiency can be further improved through strategies such as pressure management in water supply networks and flow control in sewer systems. Managing pressure in the distribution network helps reduce water losses and prevent pipe bursts, while optimizing flow in sewer systems can prevent overflows and reduce the risk of environmental contamination. Furthermore, reducing non-revenue water—water that is produced but not billed—through leak detection and addressing illegal connections is critical for improving both the financial sustainability and operational efficiency of water and sewer systems.

PRACTICAL WORK TASK TOPIC 6

Theoretical questions

1. What are the main types of maintenance strategies used in urban water and sewer networks, and how do they differ?
2. How does predictive maintenance help in optimizing the management of water and sewer systems?
3. Why is asset management important for the maintenance of urban water and sewer networks?
4. How can smart technologies, such as smart meters, improve the efficiency of water and sewer network management?
5. What strategies can be implemented to reduce non-revenue water and improve the operational efficiency of urban water networks?

7 STRUCTURAL AND FUNCTIONAL ASPECTS OF URBAN HEAT SUPPLY SYSTEMS

Purpose of the lesson.

The purpose of this lesson is to explore the structural and functional aspects of urban heat supply systems, which are essential for ensuring the comfortable living conditions of urban populations. Understanding these systems' components, operational principles, and interrelationships is crucial for students involved in the design, operation, and optimization of such systems. The aim is to highlight the various technical, organizational, and economic factors that influence the performance of heat supply systems and to provide practical insights into improving their efficiency, sustainability, and adaptability to changing urban needs.

Theoretical provisions.

Urban heat supply systems are complex networks that provide thermal energy to buildings and facilities, ensuring indoor comfort and meeting industrial heating demands. These systems are primarily designed to deliver heat through centralized or decentralized sources, including district heating networks or individual heating plants.

The operational efficiency and sustainability of these systems depend on their structural design, heat generation methods, distribution mechanisms, and integration with other energy systems.

The fundamental components of an urban heat supply system include heat generation, transmission, and distribution. Heat generation refers to the production of thermal energy, which can be sourced from various methods, including the burning of fossil fuels, renewable sources like biomass and geothermal energy, or the use of nuclear energy. In modern urban environments, there is a growing trend toward using combined heat and power (CHP) systems, which simultaneously produce both heat and electricity. This integrated approach increases efficiency and reduces environmental impact by utilizing fuel more effectively.

The transmission network is responsible for transporting the heat produced in central plants to individual buildings or industrial facilities. This is typically achieved through a network of insulated pipes carrying hot water or steam. The distribution network within buildings ensures that heat is delivered efficiently to various spaces, where it can be used for space heating, hot water supply, or industrial processes. Key components in this network include radiators, heat exchangers, and control systems.

The efficiency of urban heat supply systems is influenced by the design of the transmission and distribution networks, the type of energy used for heat generation, and the maintenance practices employed. One significant challenge in urban heat supply systems is heat loss during transmission, which can occur due to poor insulation or long-distance delivery. Minimizing these losses through advanced insulation materials, pipeline designs, and real-time monitoring is essential for improving system efficiency and reducing costs.

Moreover, the integration of renewable energy sources into heat supply systems is a growing area of interest. The incorporation of solar thermal systems, geothermal energy, and waste heat recovery technologies can significantly reduce the carbon footprint of urban heat networks and contribute to a more sustainable energy mix. Advanced technologies, such as smart grids and digital controls, enable more effective

energy management, ensuring that supply and demand are balanced in real-time, optimizing system operation, and increasing the system's overall flexibility.

Main part.

The structure of an urban heat supply system generally consists of several interconnected components: heat generation plants, transmission networks, distribution networks, and end-user systems. These components work together to ensure that thermal energy is delivered efficiently from the generation source to the final consumer.

Heat generation is the first stage in the heat supply process. Centralized heating plants, which can be large facilities burning natural gas, coal, or utilizing renewable sources, are common in urban areas. In some cities, district heating systems are used, where one central plant generates heat for multiple buildings or neighborhoods. The heat produced in these plants is then transmitted through insulated pipes, minimizing losses to the environment. Newer plants often employ CHP technology to maximize fuel efficiency and generate electricity simultaneously with heat.

Transmission networks are a critical element of urban heat supply systems. These networks are designed to carry hot water or steam over long distances from the generation plant to the individual buildings or industrial sites that require heat. The transmission pipes are usually made of steel and insulated to reduce heat loss during transportation. Long-distance transmission networks can experience significant energy losses, particularly in older systems. Therefore, continuous improvements in insulation materials and the use of digital monitoring tools help detect and mitigate heat losses.

Distribution systems are responsible for delivering heat to the end users, whether residential, commercial, or industrial. In a building, the distribution system typically consists of a network of pipes that deliver hot water to radiators or underfloor heating systems. Modern systems may include heat exchangers, which allow heat to be transferred without direct contact between the distribution medium and the end user's heating systems. The efficiency of this distribution system is influenced by factors such as pipe layout, pump capacity, and insulation. Technological advancements in these areas have led to the development of more energy-efficient and sustainable systems.

The management of urban heat supply systems involves not only the physical infrastructure but also the operational aspects that ensure their reliability and efficiency. The integration of digital technologies has revolutionized heat supply system management. Smart thermostats, real-time monitoring, and digital controls allow operators to manage energy consumption more effectively, balancing supply and demand. Smart meters installed at user points provide data on energy use, helping to optimize heating schedules and improve system responsiveness.

Renewable energy integration is a critical factor in the development of modern heat supply systems. By incorporating solar thermal collectors, geothermal energy, or waste heat recovery from industrial processes, urban heat supply systems can reduce their reliance on fossil fuels. These renewable sources of energy can be used either to supplement the heat generated by traditional systems or to create entirely renewable heating systems. The integration of renewable technologies reduces greenhouse gas emissions and contributes to meeting sustainability targets set by local and international authorities.

In addition to energy generation and distribution, system maintenance plays a key role in the performance of heat supply networks. Regular inspections, leak detection, and repair work ensure that transmission and distribution systems remain in optimal working condition. Technological advancements, such as robotic pipe inspection and automated leak detection systems, have enhanced maintenance processes by allowing for more efficient and less disruptive work.

Operational efficiency is also influenced by the design of the system's control mechanisms. The use of predictive analytics, machine learning, and real-time data allows for better forecasting of energy demand, ensuring that the system operates at peak efficiency. Real-time data enables operators to make adjustments on the fly, optimizing the operation of pumps, valves, and heat exchangers to reduce energy consumption and minimize system downtime.

PRACTICAL WORK TASK TOPIC 7

Theoretical questions

1. What are the primary components of an urban heat supply system, and how do they interact to ensure efficient heat distribution?
2. How can CHP (Combined Heat and Power) systems improve the efficiency of urban heat supply networks?
3. What challenges are associated with heat loss in transmission networks, and what solutions can reduce these losses?
4. How does the integration of renewable energy sources contribute to the sustainability of urban heat supply systems?
5. What are the benefits of using digital technologies, such as smart meters and predictive analytics, in the management of urban heat supply networks?

8 DESIGN PRINCIPLES AND EFFICIENCY OPTIMIZATION IN GAS DISTRIBUTION NETWORKS

Purpose of the lesson.

The purpose of this lesson is to examine the design principles and efficiency optimization strategies in gas distribution networks, which are critical for the reliable, safe, and efficient supply of natural gas to residential, commercial, and industrial consumers in urban areas. Understanding the fundamentals of gas distribution network design, operational dynamics, and optimization techniques is essential for engineers involved in the planning, development, and maintenance of these systems. This lesson aims to provide the tools and knowledge necessary to enhance the performance of gas networks while minimizing costs, energy losses, and environmental impacts.

Theoretical provisions.

Gas distribution networks are complex systems that transport natural gas from high-pressure transmission pipelines to the end-users, including households, businesses, and industries. The key components of these networks include pipelines, pressure reduction stations, valves, regulators, and metering devices. The design of a

gas distribution network must take into account factors such as system capacity, safety requirements, the geographical layout of the area, and demand forecasting.

One of the first steps in designing a gas distribution network is to determine the required gas flow rates for each area served. This involves calculating the expected demand, which can vary depending on the type of users and seasonal fluctuations. The network must be designed to handle peak demand periods while ensuring that the pressure levels remain within safe operating limits.

The pressure in gas distribution networks typically decreases as the gas moves from the high-pressure transmission network to the end-user. Pressure reduction stations are used to reduce the pressure of the gas before it enters the local distribution network. Properly sizing these stations is crucial to ensuring that adequate pressure is maintained throughout the system.

Pipelines, the main transmission medium for gas, are typically made from steel or polyethylene and are designed to withstand internal pressure. The layout of the network must consider both the shortest and most efficient routes to minimize transportation costs and reduce the risk of leakage. Pipeline diameters must be optimized based on the expected gas flow and pressure drop, ensuring that gas is delivered at the required pressure and volume without excessive energy loss.

The safety of gas distribution networks is paramount, and design principles must incorporate features such as pressure relief valves, overpressure protection devices, and leak detection systems. These safety measures ensure that the network operates within safe pressure limits and that any gas leaks are quickly identified and addressed.

Operational efficiency in gas distribution networks is a key concern. One of the primary methods for optimizing efficiency is minimizing energy losses during transmission and distribution. This involves selecting the appropriate pipe material, ensuring that the pipeline is well-maintained, and using advanced control and monitoring technologies. In addition to minimizing losses, gas distribution networks must be designed to handle variations in demand, which can fluctuate due to seasonal changes or irregular consumption patterns.

Advanced optimization techniques, such as hydraulic modeling and network simulation, can help engineers design more efficient networks by providing insights into the best system configuration, pipeline sizing, and pressure management. These techniques also enable operators to predict potential failures, reduce operational costs, and improve system reliability.

Main part.

The design of gas distribution networks involves several stages, starting with demand forecasting and continuing through network layout, material selection, and pressure management. Accurate demand forecasting is crucial to ensure that the network is appropriately sized and can handle future growth. Engineers use historical data, population trends, and economic factors to estimate future gas consumption, which is a key input into the design process.

The next step in the design process is to determine the network layout. The layout must ensure that gas is delivered efficiently to all areas while minimizing the distance traveled. The pipeline configuration should take into account factors such as the local topography, urban density, and proximity to major users. Trenchless construction methods are often employed to minimize disruption during the installation of pipelines, especially in densely populated areas.

Pipeline material selection is another critical aspect of gas distribution network design. Steel and polyethylene are the two most commonly used materials for gas pipelines. Steel pipelines are more durable and suitable for high-pressure applications, while polyethylene is preferred for lower pressure systems due to its flexibility and resistance to corrosion. The material choice depends on the pressure requirements, pipe diameter, and environmental conditions.

Pressure regulation is a fundamental element in the operation of gas distribution systems. Pressure reduction stations are strategically placed along the network to ensure that the gas is delivered at the appropriate pressure to meet the needs of end-users. These stations must be carefully sized to accommodate variations in demand and to ensure that the pressure is maintained within a safe range.

In addition to pressure management, the network must be designed with safety measures to prevent accidents and mitigate risks. This includes the installation of pressure relief valves, which can release gas if pressure levels exceed safe thresholds, and automatic shut-off valves, which can isolate parts of the network in the event of a leak or failure. Gas leak detection systems, which use sensors to monitor the network for signs of leaks, are also essential for maintaining safety and preventing environmental damage.

Once the system is operational, ongoing maintenance is essential to ensure its efficiency and safety. Regular inspections, leak detection, and repairs are necessary to keep the network functioning properly. Advanced monitoring systems, including real-time sensors and control systems, allow operators to continuously monitor the network for changes in pressure, flow, and temperature, enabling rapid response to any issues that arise.

Energy efficiency is a key focus in gas distribution network optimization. Engineers use hydraulic modeling to simulate gas flow and pressure throughout the network, identifying areas where energy losses occur and suggesting improvements. Techniques such as compressor optimization, valve control, and system balancing are employed to reduce energy consumption and improve overall network performance.

Finally, the integration of renewable energy sources, such as biogas or hydrogen, into gas distribution networks is an emerging area of interest. These renewable gases can be used to supplement the natural gas supply, contributing to a more sustainable energy system. The design of the network must take into account the ability to blend or switch between different types of gas to accommodate these new energy sources.

PRACTICAL WORK TASK TOPIC 8

Theoretical questions

1. What are the primary components of a gas distribution network, and what role does each component play in the network's operation?

2. How can hydraulic modeling and network simulation optimize the design of gas distribution networks?
3. What factors must be considered when selecting materials for gas distribution pipelines?
4. How do pressure reduction stations work, and why are they important in gas distribution networks?
5. What safety features are essential in the design of a gas distribution network, and how do they contribute to system reliability?

9 INTEGRATION OF RENEWABLE ENERGY SOURCES INTO URBAN HEAT AND GAS SUPPLY

Purpose of the lesson.

The purpose of this lesson is to explore the integration of renewable energy sources into urban heat and gas supply systems. This is a crucial area of study as cities strive to transition towards more sustainable energy systems that reduce dependence on fossil fuels and minimize environmental impact. Understanding how to incorporate renewable energy into these traditional urban infrastructures is essential for achieving energy efficiency, reducing greenhouse gas emissions, and supporting sustainable urban development. This lesson aims to provide students with the knowledge and tools to assess the feasibility, challenges, and benefits of integrating renewable energy sources into urban heat and gas supply systems.

Theoretical provisions.

Urban heat and gas supply systems are foundational to providing heating, hot water, and cooking energy to residential, commercial, and industrial consumers in cities. Traditionally, these systems rely heavily on fossil fuels, such as natural gas, coal, and oil, which are not only finite resources but also significant contributors to environmental pollution and climate change. To address these challenges, cities worldwide are increasingly turning to renewable energy sources, such as solar, wind, biomass, and geothermal energy, to supplement or replace fossil fuels in heat and gas supply systems.

The integration of renewable energy into urban heat and gas supply systems is driven by several factors, including the need for cleaner energy, energy security, and cost reduction over the long term. Renewable energy sources offer the potential to lower carbon emissions, diversify energy supplies, and stabilize energy prices. The integration process requires the development of new technologies, regulatory frameworks, and financial models to ensure that renewable energy can be seamlessly incorporated into existing urban infrastructure.

Solar energy, in particular, has significant potential in urban heat supply systems, primarily for space heating and water heating. Solar thermal systems capture the sun's heat using collectors and transfer it to a heat storage or direct heating system. These systems can be integrated into district heating networks or used in individual buildings, providing a clean and renewable source of energy.

Wind energy, though more commonly used for electricity generation, can also play a role in urban gas supply systems. Wind turbines can be used to generate electricity, which can then be used to power gas compressors, pumps, and other components of gas distribution networks. Wind energy can also be used to produce hydrogen through electrolysis, which could be fed into gas networks as a renewable alternative to natural gas.

Biomass, including organic waste, agricultural residues, and wood pellets, can be utilized in both heating and gas systems. Biomass can be burned directly in combined heat and power (CHP) plants to produce both heat and electricity, or it can be converted into biogas through anaerobic digestion. Biogas, primarily composed of methane, can be injected into gas networks to replace a portion of natural gas, providing a renewable and carbon-neutral alternative.

Geothermal energy offers another renewable option, particularly for heating purposes in urban areas. Geothermal systems tap into the Earth's natural heat by extracting warm water or steam from underground reservoirs. This heat can be used for district heating networks, reducing reliance on conventional heating methods and decreasing greenhouse gas emissions. Geothermal energy is highly efficient and

provides a consistent and reliable source of heat, making it ideal for urban environments with high heating demands.

Incorporating renewable energy sources into urban heat and gas supply systems requires overcoming several technical, economic, and regulatory challenges. These include the high upfront costs of renewable energy technologies, the need for infrastructure upgrades, and the integration of renewable energy with existing fossil fuel-based systems. Additionally, issues related to energy storage, grid stability, and backup supply systems must be addressed to ensure that renewable energy can be reliably supplied during periods of low availability (e.g., cloudy days for solar or calm periods for wind).

The regulatory environment also plays a critical role in the integration of renewable energy. Governments must create favorable policies and incentives, such as subsidies, tax credits, and renewable energy standards, to encourage investment in renewable energy technologies. Urban planners, engineers, and policymakers must work together to design systems that maximize the potential of renewable energy sources while ensuring that the energy needs of urban populations are met reliably and cost-effectively.

Main part.

The integration of renewable energy sources into urban heat and gas supply systems begins with the identification of appropriate renewable energy technologies based on local conditions, energy needs, and available resources. For example, in cities with high solar exposure, solar thermal systems can be widely implemented for water heating and space heating. These systems typically consist of solar collectors, heat exchangers, and storage tanks. The collectors absorb sunlight and convert it into heat, which is then transferred to a fluid that circulates through the system. This heated fluid can be used directly for heating or stored for later use.

In urban areas where wind energy is abundant, wind turbines can generate electricity that can be used to power gas distribution infrastructure, such as compressors or pumps. Wind energy can also be used to produce hydrogen, which can be fed into existing gas grids, providing a renewable alternative to natural gas. The

production of hydrogen through electrolysis using wind-generated electricity offers a promising solution for decarbonizing the gas sector. Once hydrogen is produced, it can be injected into the gas distribution network, either as a supplement to natural gas or as a standalone fuel.

Biomass energy is another renewable option for urban heat and gas supply systems. Biomass can be processed into biogas through anaerobic digestion, which produces methane that can be injected into the gas grid. Alternatively, biomass can be burned in CHP plants to generate both electricity and heat. In addition to its use in gas networks, biomass can also be utilized for district heating, providing an efficient and sustainable source of thermal energy.

Geothermal energy, particularly in areas with significant geothermal resources, offers a stable and reliable renewable heat source for urban areas. Geothermal heat pumps can be used for space heating and cooling, while larger geothermal systems can provide district heating. These systems rely on the natural heat stored beneath the Earth's surface and can provide a constant supply of energy, making them an ideal solution for urban areas with high energy demands.

Once renewable energy technologies are selected, the integration process involves modifying existing infrastructure to accommodate renewable energy sources. For example, district heating systems may need to be upgraded to incorporate solar thermal or geothermal energy, while gas networks may require modifications to inject hydrogen or biogas. Additionally, energy storage solutions, such as thermal storage for heat or battery storage for electricity, may be needed to ensure a stable and continuous supply of energy.

Energy management systems are essential for coordinating the various renewable energy sources and optimizing their integration into urban infrastructure. These systems monitor energy generation, storage, and consumption, and can adjust operations in real-time to balance supply and demand. Smart grid technologies, combined with energy management systems, enable more efficient distribution of renewable energy across urban heat and gas supply networks, ensuring that energy is delivered where it is needed most.

As renewable energy becomes more integrated into urban energy systems, it is also essential to educate the public and engage stakeholders in the transition process. Awareness campaigns can help consumers understand the benefits of renewable energy and encourage the adoption of energy-efficient technologies. Additionally, collaboration between urban planners, utility companies, and policymakers is crucial to creating a supportive environment for renewable energy integration.

PRACTICAL WORK TASK TOPIC 9

Theoretical questions

1. What are the primary renewable energy sources that can be integrated into urban heat and gas supply systems, and how do they function?
2. How can wind energy be utilized in urban gas distribution networks?
3. What challenges must be addressed when integrating renewable energy sources into existing urban infrastructure?
4. How does geothermal energy contribute to urban heating systems, and what are its benefits?
5. What role do energy management systems play in the integration of renewable energy into urban heat and gas supply systems?

10 ANALYSIS OF HEAT LOSSES AND METHODS FOR ENHANCING EFFICIENCY IN URBAN HEAT NETWORKS

Purpose of the lesson.

The primary purpose of this lesson is to explore the analysis of heat losses in urban heat networks and the methods available for enhancing their efficiency. Urban heat networks are integral to providing heating and hot water to city residents and businesses, and reducing heat losses is crucial for improving energy efficiency, lowering operational costs, and minimizing environmental impact. This lesson aims to equip students with a thorough understanding of the factors that contribute to heat losses in such systems and the various strategies and technologies that can be employed to reduce these losses and optimize system performance.

Theoretical provisions.

Urban heat networks, also known as district heating systems, are designed to distribute heat generated from a central source to multiple buildings and facilities. These networks typically use steam or hot water to transport thermal energy through a network of insulated pipes. The efficiency of these systems depends on several factors, including the quality of the heat generation equipment, the design and operation of the distribution network, and the thermal properties of the materials used in the network.

Heat losses in urban heat networks can occur due to several reasons. One of the most significant sources of heat loss is the transport of heated water or steam through poorly insulated pipes. As the heat travels through the pipes, it loses energy to the surrounding environment, which reduces the overall efficiency of the system. Heat losses can also arise due to radiation from exposed pipes, leaks, and operational inefficiencies in heat generation and distribution processes.

In addition to these technical factors, heat losses in urban heat networks can also be influenced by external conditions, such as ambient temperature, humidity, and wind. For instance, heat losses tend to be higher during colder months when the temperature difference between the hot water or steam in the pipes and the surrounding environment is more significant.

The goal of analyzing heat losses is to identify the most critical areas of energy loss and implement targeted measures to improve system efficiency. This involves a detailed examination of the heat distribution network, including the pipe insulation, the condition of the pipes, and the performance of pumps and valves. Moreover, it is important to assess the overall operational practices, such as temperature settings, flow rates, and pressure management, to ensure that they align with the optimal conditions for energy conservation.

Main part.

The analysis of heat losses in urban heat networks begins with the identification of the main sources of heat loss. One of the first steps is to examine the insulation of the pipes used in the system. Pipe insulation is designed to minimize heat transfer from the hot water or steam to the surrounding environment, but over time, insulation

materials can degrade or become damaged, leading to increased heat losses. Regular inspections of the insulation and repairs or replacements of damaged sections are crucial to maintaining system efficiency.

Another critical aspect of heat loss analysis is the condition of the pipes themselves. Older or corroded pipes are more likely to develop leaks, which can result in both heat and water losses. Regular maintenance, such as pipe cleaning and leak detection, helps ensure that the network operates at optimal performance. Modern monitoring technologies, such as thermal imaging and pressure sensors, can be used to detect leaks or areas of excessive heat loss that might not be visible to the naked eye.

In addition to the physical condition of the pipes, the operation of the distribution network also plays a significant role in heat losses. The temperature settings of the system should be optimized to prevent excessive heat loss. For example, water or steam temperatures that are too high can increase thermal losses during transport, while temperatures that are too low can lead to insufficient heating in the buildings served by the network. Proper balancing of flow rates and pressure is also crucial to prevent overuse of energy and ensure that the network operates efficiently.

Enhancing the efficiency of urban heat networks involves a combination of technological upgrades, operational improvements, and strategic planning. One of the most effective ways to reduce heat losses is to improve the insulation of the network's pipes. High-performance insulating materials, such as aerogels or polyurethane foams, can be used to reduce heat transfer, especially in older systems. In some cases, it may also be necessary to replace outdated or inefficient piping materials with newer, more energy-efficient alternatives.

The implementation of heat recovery systems is another strategy for improving the efficiency of urban heat networks. Heat recovery systems capture waste heat from industrial processes, power plants, or other sources and redirect it into the district heating network. This reduces the demand for primary heat generation and helps to lower overall energy consumption. For example, the use of combined heat and power (CHP) systems can simultaneously generate electricity and heat, utilizing otherwise wasted energy to improve system efficiency.

Another technique for reducing heat losses is the adoption of advanced monitoring and control systems. These systems use sensors and real-time data analysis to monitor the temperature, pressure, and flow of water or steam throughout the network. By continuously assessing system performance, operators can quickly identify inefficiencies, optimize operational parameters, and make real-time adjustments to minimize heat losses.

Finally, implementing district heating systems with integrated renewable energy sources can help further improve system efficiency. The use of renewable energy technologies, such as solar thermal systems, biomass boilers, or geothermal heat pumps, can reduce the need for fossil fuel-based heat generation and lower the carbon footprint of the system. These technologies can be particularly effective when integrated into the heat generation portion of the district heating network, allowing for the use of clean, renewable energy to meet heating demands.

In conclusion, reducing heat losses in urban heat networks is essential for improving energy efficiency, lowering costs, and minimizing environmental impacts. A comprehensive approach that includes regular maintenance, system optimization, technological upgrades, and the integration of renewable energy sources can significantly enhance the performance of heat networks and contribute to the sustainability of urban infrastructure.

PRACTICAL WORK TASK TOPIC 10

Theoretical questions

1. What are the main sources of heat losses in urban heat networks, and how can they be minimized?
2. How does the insulation of pipes affect the overall efficiency of an urban heat network?
3. What role do monitoring and control systems play in improving the performance of urban heat networks?

4. How can heat recovery systems be integrated into urban heat networks to enhance efficiency?

5. What are the benefits of incorporating renewable energy sources into district heating systems?

11 RISK ASSESSMENT AND SAFETY MEASURES IN URBAN GAS SYSTEMS

Purpose of the lesson.

The purpose of this lesson is to explore the risk assessment methods and safety measures involved in the design, operation, and maintenance of urban gas systems. Given the essential role of gas distribution in urban infrastructure, it is critical to understand the potential risks associated with the handling, transportation, and consumption of natural gas, as well as the strategies employed to minimize these risks. This lesson aims to provide students with a detailed understanding of the risk factors, safety protocols, and technologies designed to ensure the safe operation of urban gas systems.

Theoretical provisions.

Urban gas systems are designed to deliver natural gas from central supply points to individual buildings and industrial facilities, providing energy for heating, cooking, and other processes. Given the flammable and potentially hazardous nature of natural gas, ensuring the safety of both the infrastructure and its users is paramount. This involves an understanding of the risks posed by gas leaks, explosions, equipment failures, and other system malfunctions, as well as the need for effective risk assessment and management strategies.

Risk assessment in gas systems begins with identifying potential hazards associated with each component of the infrastructure, including pipelines, valves, pressure regulators, and connections. Gas leaks, whether due to aging infrastructure, poor maintenance, or external damage, represent one of the most significant risks in gas systems. In addition to leaks, other hazards include the risk of explosions, fires,

and the release of toxic gases, all of which can have serious consequences for public safety.

To mitigate these risks, it is essential to apply safety measures across the entire life cycle of the gas system, from design and construction to operation and maintenance. Safety measures include the selection of materials that are resistant to corrosion, the installation of pressure relief valves, the use of advanced monitoring and control systems, and the implementation of emergency response protocols.

In the design phase, urban gas systems must be planned to minimize the likelihood of gas leaks and other hazards. This involves using materials that are durable, corrosion-resistant, and capable of withstanding high-pressure conditions. Properly designed gas distribution networks should also include redundancy measures, such as backup supply lines and automated shutoff valves, to minimize the impact of potential failures.

During the operation phase, gas systems must be continuously monitored to detect leaks, pressure fluctuations, and other signs of potential failure. This includes the use of sensors, alarms, and real-time data analytics to identify and respond to hazards before they escalate into serious issues. Regular inspections and maintenance activities are also essential to ensure the continued integrity of the system and prevent accidents.

Main part.

The analysis of risks in urban gas systems involves a comprehensive approach that examines both technical and human factors. One of the first steps in risk assessment is to conduct a hazard identification process, which evaluates all components of the gas network for potential failure modes. For example, pipelines may be subject to corrosion, which can lead to leaks, while valves and regulators may experience wear and tear that compromises their performance.

Once hazards have been identified, the next step is to assess the likelihood and potential consequences of each hazard. This process, known as a risk analysis, helps prioritize safety measures based on the severity of the risks. For example, a leak in a high-pressure section of the pipeline presents a much greater risk than a minor leak in a low-pressure area. Similarly, risks associated with gas explosions or fires may have

far-reaching consequences for public safety, requiring the implementation of more stringent safety protocols.

One of the most important safety measures in urban gas systems is leak detection and prevention. Advances in sensor technology have significantly improved the ability to detect gas leaks at an early stage. Modern gas sensors are capable of identifying even small concentrations of gas in the air, providing operators with real-time alerts. These sensors can be placed along pipelines, at junctions, and near critical components, allowing for continuous monitoring of the system. In addition to these sensors, gas systems may also employ infrared cameras and acoustic monitoring devices to detect leaks that are not visible to the naked eye.

Pressure management is another critical aspect of safety in urban gas systems. Excessive pressure in pipelines can cause ruptures or leaks, which could lead to catastrophic failures. To mitigate this risk, pressure relief valves are installed at key locations in the system to ensure that pressure levels remain within safe limits. In addition to pressure relief valves, automated shutoff valves are used to isolate sections of the network in the event of a failure, preventing the spread of a potential hazard.

Another key element of safety is the integration of advanced monitoring and control systems. These systems provide operators with real-time data on the status of the gas network, allowing them to respond quickly to emerging risks. Automated systems can detect abnormal conditions, such as pressure fluctuations or temperature changes, and trigger automatic safety measures, such as shutting down sections of the system or initiating emergency ventilation procedures.

In addition to these technical safety measures, urban gas systems must also be designed to support emergency response procedures. In the event of a gas leak, explosion, or fire, it is essential to have a well-coordinated response plan in place. Emergency response protocols should include clear instructions for personnel, emergency services, and the public on how to respond to a gas-related incident. These protocols should also outline the necessary steps for evacuating affected areas, sealing off gas leaks, and restoring normal operations.

Training and education play a crucial role in ensuring the safety of urban gas systems. Operators and maintenance personnel must be regularly trained on safety procedures, risk assessment techniques, and emergency response protocols. This training ensures that workers are prepared to identify and respond to hazards, minimizing the likelihood of accidents and improving the overall safety of the system.

Technological innovations, such as the use of drones for pipeline inspections and artificial intelligence for predictive maintenance, are further enhancing the safety and efficiency of urban gas systems. These technologies allow for more precise monitoring and early detection of potential issues, enabling quicker and more effective interventions.

In conclusion, risk assessment and safety measures are integral to the safe and efficient operation of urban gas systems. Through the identification of potential hazards, the application of advanced monitoring technologies, and the implementation of emergency response plans, it is possible to minimize the risks associated with gas distribution and ensure the safety of both the infrastructure and the public.

PRACTICAL WORK TASK TOPIC 11

Theoretical questions

1. What are the primary hazards associated with urban gas systems, and how can they be mitigated?
2. How do risk assessment and risk analysis help prioritize safety measures in gas networks?
3. What role do leak detection technologies play in ensuring the safety of urban gas systems?
4. How do pressure relief and shutoff valves contribute to the safety of gas distribution systems?
5. What are the key components of an effective emergency response plan in the event of a gas-related incident?

12 PRINCIPLES OF URBAN ENGINEERING NETWORK PLANNING AND DESIGN

Purpose of the lesson.

The aim of this lesson is to provide an in-depth understanding of the principles involved in the planning and design of urban engineering networks, with a particular focus on water, sewerage, heat, and gas distribution systems. These networks are fundamental components of urban infrastructure, essential for maintaining public health, comfort, and safety. This work explores the key factors, methodologies, and considerations necessary to design and plan urban networks that can effectively support the needs of modern cities, considering factors such as population density, environmental impact, technological advancements, and sustainability.

Theoretical provisions.

Urban engineering networks include a variety of interconnected systems designed to provide essential services to urban areas, including water supply, wastewater treatment, heating, and gas distribution. These systems are highly complex and require comprehensive planning to ensure their effectiveness, resilience, and long-term sustainability. Urban infrastructure planning is driven by the need to balance efficiency, cost, and environmental impact while ensuring that the networks can cope with future growth and changing demands.

One of the primary challenges in designing urban engineering networks is determining the most suitable methods for distributing these services across densely populated areas. The planning process must take into account not only the current needs of the population but also future urban development, demographic changes, and technological advancements. This requires a thorough analysis of urban growth patterns, land use, and resource availability.

In the context of water supply and sewerage systems, planning and design involve the identification of water sources, treatment processes, and distribution routes for both potable water and wastewater. For heat and gas networks, planners must assess the most efficient and cost-effective ways to distribute energy resources, incorporating considerations for renewable energy sources and energy efficiency. Additionally,

planners must account for the integration of various types of infrastructure in urban environments, ensuring that these networks function seamlessly together without conflicts or overlaps.

The design phase of urban engineering networks typically follows a process that includes data collection, system modeling, and the development of technical specifications. This phase involves a series of calculations and simulations to ensure that the networks can meet the required demand while adhering to regulatory standards and optimizing resource use. Engineers must also plan for future upgrades and expansion to accommodate urban growth and technological innovations.

Sustainability is an essential aspect of urban network design. Sustainable urban engineering networks are those that minimize resource consumption, reduce environmental impact, and ensure long-term resilience. This includes the adoption of green technologies, such as renewable energy sources, energy-efficient materials, and smart technologies that enable real-time monitoring and optimization of network performance.

Main part.

The planning and design of urban engineering networks require a systematic approach that integrates various technical, environmental, and social considerations. The first step in the process is identifying the specific needs of the urban area, which is determined through demographic studies and projections of future growth. This information helps to define the scale and capacity of the networks, ensuring that they can meet current and future demands. The analysis of existing infrastructure also plays a key role in identifying potential limitations and opportunities for improvement.

One of the most crucial aspects of network planning is site analysis. This includes evaluating the geographical and environmental characteristics of the area, such as soil conditions, water sources, and the topography of the land. These factors influence the design of water, sewer, and heat distribution systems, as well as the installation of gas pipelines. For example, water supply systems in hilly areas may require specialized pumps and pressure management solutions to ensure adequate distribution.

Another critical factor in the planning process is determining the appropriate materials and technologies for constructing urban engineering networks. The selection of materials depends on various factors, such as durability, cost, environmental impact, and compatibility with the local climate. For instance, corrosion-resistant pipes are often chosen for water and gas distribution systems to prevent leaks and ensure longevity, while heat-insulated materials are essential for optimizing the efficiency of heating networks.

The integration of renewable energy sources is an increasingly important consideration in the design of urban engineering networks. For heating systems, the use of solar thermal systems, geothermal energy, and biomass is gaining traction as a means to reduce dependency on fossil fuels. Similarly, energy-efficient gas and water supply systems are designed with an emphasis on reducing emissions and conserving resources.

In the design of water and sewer networks, planners must carefully consider the layout of pipes, pumps, treatment facilities, and storage tanks. The goal is to minimize energy consumption while ensuring efficient water distribution and wastewater removal. Gravity-based systems are often preferred for wastewater transportation, as they reduce the need for energy-intensive pumping. However, in areas with challenging topography or long distances, pumps and pressure-regulated systems may be necessary to maintain adequate flow rates.

For gas distribution networks, careful consideration must be given to pipeline routing and pressure management. Gas pipelines should be installed in areas that minimize the risk of damage from external factors, such as construction activities or natural disasters. Pressure management systems are essential to ensure that gas flows at the correct pressure throughout the network, preventing leaks and minimizing the risk of accidents.

Once the initial design has been developed, the next step is to perform detailed hydraulic and thermal simulations to test the system's performance under various conditions. This process helps identify potential issues, such as insufficient water pressure or inadequate heating capacity, and allows for optimization of system

components. It is also essential to incorporate flexibility into the design, allowing for future expansions or upgrades as the urban area grows.

One of the key principles of urban network design is the integration of smart technologies, which allow for real-time monitoring, data collection, and automated control of network operations. Smart meters, sensors, and automated control systems are used to monitor water and gas consumption, detect leaks, and optimize energy use. These technologies help reduce operational costs, improve efficiency, and provide better service to consumers.

Sustainability remains a cornerstone of urban network planning and design. To reduce environmental impact, many cities are integrating green infrastructure, such as rainwater harvesting systems, permeable pavements, and green roofs, into their urban engineering networks. These solutions help manage stormwater, reduce flooding, and improve air quality while enhancing the aesthetic value of urban spaces.

Finally, effective maintenance and management of urban networks are crucial to ensuring their continued efficiency and reliability. Ongoing monitoring, inspections, and regular maintenance are required to prevent failures and extend the lifespan of network components. Predictive maintenance techniques, which use data analytics to forecast when equipment may fail, are becoming increasingly popular in ensuring that infrastructure remains functional and cost-effective.

PRACTICAL WORK TASK TOPIC 12

Theoretical questions

1. What are the key factors to consider when planning urban engineering networks, and how do they influence the design process?
2. How can the integration of renewable energy sources enhance the efficiency and sustainability of urban heat and gas supply systems?
3. What is the role of materials selection in the design of water and gas distribution systems, and how does it affect the long-term reliability of these networks?

4. How can smart technologies be utilized to improve the performance of urban engineering networks and optimize resource use?
5. What are the benefits and challenges associated with the incorporation of green infrastructure in urban network planning?

13 TECHNOLOGICAL APPROACHES TO LAYING WATER, SEWER, AND HEAT NETWORKS

Purpose of the lesson.

This lesson is aimed at exploring the various technological approaches used in the laying of water, sewer, and heat networks within urban areas. The proper installation of these systems is crucial for ensuring efficient distribution and removal of water, wastewater, and heat energy, which are fundamental to urban infrastructure. The focus of this work is to examine the technological methods, innovations, and challenges involved in the design, construction, and maintenance of these networks, as well as the impact of new technologies on the efficiency and sustainability of urban environments.

Theoretical provisions:

Laying water, sewer, and heat networks involves a range of processes that must be carefully coordinated to ensure that these systems function efficiently, meet regulatory standards, and remain resilient over time. The complexity of urban environments, with their dense infrastructure and varied geographical features, requires advanced technological methods for the installation and maintenance of these systems.

In water supply and sewerage systems, trenching and pipeline installation are fundamental techniques. These traditional methods involve excavating trenches to lay pipelines, which are then backfilled and compacted. While this approach remains common, it is increasingly supplemented or replaced by trenchless technology. Trenchless methods include horizontal directional drilling (HDD), pipe bursting, and microtunneling, which allow for the installation of pipelines with minimal disruption to the surface, reducing the need for large-scale excavation and improving efficiency.

For sewer systems, particularly in dense urban areas, the installation of pipelines must also consider the need for proper grading and ventilation. Sewer systems can be

installed using open-cut or trenchless methods, depending on the terrain and the location of existing infrastructure. Trenchless technologies are particularly beneficial in reducing the disturbance to existing urban structures, including roads, buildings, and utilities.

In the case of heat networks, the laying of heat distribution pipes is generally done using conventional trenching techniques or trenchless methods, depending on the specific requirements of the area. The installation of heat distribution systems often requires a higher level of precision due to the need to maintain appropriate temperatures and ensure thermal efficiency. Innovations such as pre-insulated pipes are increasingly used in heat networks to improve thermal efficiency and minimize heat losses during distribution.

Technological advancements in materials are also an important consideration when laying these networks. For water, sewer, and heat systems, the selection of materials for pipes, insulation, and joints is critical to ensuring the durability, reliability, and efficiency of the infrastructure. Modern materials such as high-density polyethylene (HDPE), ductile iron, and stainless steel are commonly used for their strength, corrosion resistance, and ease of installation. For heat networks, the use of pre-insulated pipes has revolutionized the industry by reducing energy losses and improving overall system performance.

The implementation of automation and digital technologies in the installation of these networks is an emerging trend. Geographic Information Systems (GIS), Building Information Modeling (BIM), and computer-aided design (CAD) are now commonly employed to design, model, and optimize the installation process. These technologies allow for precise planning, accurate placement of infrastructure, and effective coordination of multiple systems within urban spaces. Additionally, sensors and smart meters are being integrated into the systems during installation to enable real-time monitoring and maintenance of water, sewer, and heat networks.

The environmental impact of network installation is also a critical consideration. Technological approaches must minimize the ecological disruption caused by construction activities. For example, trenchless methods not only reduce the need for

large-scale excavation but also limit the impact on natural environments, reduce soil erosion, and decrease the emission of dust and pollutants.

Main part:

The technological methods used to lay water, sewer, and heat networks in urban areas have evolved significantly over time. Traditional techniques such as open-cut trenching, where excavation of soil is necessary to lay pipes, are still widely used, but innovations in trenchless technology have transformed the way these systems are installed. Trenchless methods, such as horizontal directional drilling (HDD), offer significant advantages, particularly in urban settings, as they minimize surface disruption and reduce the need for traffic rerouting or destruction of existing infrastructure.

Horizontal directional drilling (HDD) allows for the installation of pipelines without the need for extensive surface excavation. This method involves drilling a pilot hole along a predetermined path, followed by enlarging the hole to accommodate the pipeline. HDD is particularly useful for crossing under rivers, roads, and other obstacles, making it ideal for urban environments where surface space is limited.

Pipe bursting is another trenchless technology used for replacing old and deteriorating sewer lines or water mains. This method involves pulling a new pipe through an old one by bursting the old pipe apart, leaving a new pipe in place. Pipe bursting is highly efficient, cost-effective, and less disruptive than traditional excavation methods, making it a popular choice for maintaining and upgrading urban infrastructure.

Microtunneling is similar to HDD but involves the use of a smaller, more precise tunnel boring machine. This method is particularly useful in areas with high traffic or sensitive structures. Microtunneling provides minimal surface disruption and allows for the installation of pipelines in very constrained spaces, such as beneath highways or densely populated urban areas.

When it comes to heat networks, the use of pre-insulated pipes has greatly improved the efficiency of heat distribution systems. Pre-insulated pipes are designed to reduce heat loss during transport, improving the overall thermal efficiency of the

network. These pipes are made by insulating the outer layer of the pipe with materials such as foam or fiberglass, which helps to maintain the temperature of the fluid being transported, thereby reducing energy consumption.

The choice of materials is another key factor in the technological approaches to laying these networks. For water and sewer systems, the materials must be durable, corrosion-resistant, and capable of withstanding high pressures. Common materials include high-density polyethylene (HDPE), ductile iron, and PVC. In heat networks, pre-insulated pipes made of polyethylene or steel are typically used to prevent heat loss and ensure the long-term efficiency of the system.

The planning and design phase of laying these networks involves using advanced software tools such as Geographic Information Systems (GIS) and Building Information Modeling (BIM) to map out the infrastructure and optimize the placement of pipes. GIS allows for precise mapping of existing utilities and helps to identify the best paths for new installations. BIM offers a digital representation of the physical and functional aspects of the network, which is especially useful for coordinating the installation of water, sewer, and heat systems in urban environments.

The integration of digital technologies such as sensors, smart meters, and real-time monitoring systems during installation further enhances the performance and efficiency of urban networks. These technologies allow for continuous monitoring of the networks after installation, providing real-time data on pressure, flow, and temperature, and enabling early detection of potential issues such as leaks or blockages. The use of data analytics and predictive maintenance strategies helps to optimize the operation of water, sewer, and heat networks, reducing downtime and ensuring that the systems remain functional and efficient.

One of the primary benefits of these advanced technological methods is the ability to reduce the environmental impact of installation processes. Trenchless technologies, in particular, minimize surface disruption, reducing the need for large-scale excavation and the associated environmental effects, such as soil erosion, habitat destruction, and dust generation. Additionally, these technologies reduce the overall carbon footprint of installation projects by minimizing construction waste and energy consumption.

PRACTICAL WORK TASK TOPIC 13

Theoretical questions

1. What are the key advantages of trenchless technologies in the installation of urban water, sewer, and heat networks?
2. How do pre-insulated pipes improve the efficiency and sustainability of urban heat networks?
3. What are the primary materials used in the construction of water and sewer systems, and why are they chosen for their durability and performance?
4. How do Geographic Information Systems (GIS) and Building Information Modeling (BIM) contribute to the design and installation of urban engineering networks?
5. What environmental considerations must be taken into account when laying urban engineering networks, and how do modern technologies minimize these impacts?

14 ENVIRONMENTAL IMPACT ASSESSMENT IN URBAN ENGINEERING NETWORK PLACEMENT

Purpose of the lesson.

The purpose of this lesson is to examine the environmental impact of urban engineering network placement, focusing on water, sewer, heat, and gas distribution systems. Understanding the environmental consequences of these infrastructure projects is essential to ensuring that urban development occurs in a sustainable and responsible manner. This work will explore how different methods of network installation affect the natural environment, the potential risks involved, and the strategies for minimizing these impacts.

Theoretical provisions.

The placement of urban engineering networks, including water, sewer, heat, and gas distribution systems, can have significant effects on the surrounding environment. These impacts may include soil disruption, water contamination, habitat destruction,

noise pollution, and air quality degradation, among others. To mitigate these risks, it is essential to conduct thorough environmental impact assessments (EIAs) before beginning construction.

Environmental impact assessments are systematic processes used to evaluate the potential effects of a project on the environment. They involve the identification, prediction, and assessment of environmental risks, as well as the proposal of measures to mitigate any negative outcomes. In the case of urban engineering network placement, an EIA typically considers factors such as soil and water quality, air and noise pollution, biodiversity, and the potential for disruption to local communities.

The key components of an EIA include the following stages: screening, scoping, impact assessment, mitigation planning, and monitoring. Screening determines whether a project requires an EIA, while scoping identifies the specific environmental issues that need to be addressed. The impact assessment phase involves analyzing the potential consequences of the proposed project on the environment. Once these impacts are identified, mitigation measures are developed to minimize or prevent harm, and monitoring plans are put in place to ensure the effectiveness of these strategies throughout the project's lifecycle.

In the context of urban engineering networks, the installation of water, sewer, heat, and gas pipelines requires careful consideration of the local ecosystem and the potential for habitat destruction. For instance, water pipeline installation may affect local water sources, while gas pipelines can pose risks to air quality and safety. Furthermore, the disruption of soil during excavation activities can lead to erosion, sedimentation, and changes in local drainage patterns. Additionally, noise and air pollution generated during construction can harm both human and wildlife health.

The use of trenchless technologies can help mitigate some of these environmental impacts. Trenchless methods, such as horizontal directional drilling (HDD), microtunneling, and pipe bursting, allow for the installation of pipelines with minimal surface disruption, reducing soil disturbance, noise pollution, and the risk of habitat destruction. However, even trenchless methods must be carefully planned and executed

to minimize the environmental impact, as these techniques can still cause issues such as groundwater contamination or subsidence.

Another important consideration is the management of waste generated during the installation process. Excavated soil, construction debris, and used materials must be properly handled to prevent contamination of local environments. Proper disposal of these materials, along with the restoration of disturbed areas, is critical for maintaining ecological balance.

Finally, the long-term environmental impact of urban engineering networks must also be assessed. These systems require regular maintenance and monitoring to ensure they continue to function efficiently and safely. Over time, wear and tear on infrastructure can lead to leaks, contamination, and other issues that may affect the surrounding environment. Continuous monitoring of the performance and condition of the networks, as well as the adoption of sustainable practices for repairs and upgrades, is essential to reduce the environmental impact over the long term.

Main part.

The environmental impact assessment (EIA) for urban engineering network placement begins with identifying the potential effects of the proposed infrastructure on the environment. This stage involves studying the physical, biological, and socio-economic aspects of the environment where the networks will be laid. For example, water network placement in areas with sensitive aquatic ecosystems may lead to disturbances in water quality and aquatic life, while gas pipeline installation near residential areas raises concerns about air pollution and safety risks.

During the assessment, the first step is to evaluate the potential impacts on soil, water, and air quality. Excavation activities for laying pipes can result in soil erosion, especially if proper erosion control measures are not implemented. Excavated soil and construction materials must be properly managed to prevent contamination of nearby land and water bodies. Additionally, changes in the natural drainage patterns can cause surface water runoff, which may lead to flooding or pollution of nearby water bodies. An important part of the assessment is determining the risk of groundwater

contamination during pipeline installation and operation, particularly when laying pipelines near sensitive aquifers or water sources.

The environmental impact on air quality is another key consideration. Construction activities generate significant amounts of dust, particulate matter, and emissions from machinery, which can degrade air quality and pose health risks to both workers and local residents. Noise pollution is another factor, especially when using heavy equipment for excavation and trenching. Noise levels can disturb local wildlife, disrupt nearby communities, and affect human health.

Another significant aspect of the EIA is assessing the impact on local biodiversity. Urban engineering networks may disrupt natural habitats, leading to the displacement of plant and animal species. Construction sites can directly impact the habitats of local wildlife, particularly in areas near forests, wetlands, or riverbanks. The placement of sewer and water networks may also affect ecosystems by altering the flow of water, which can impact aquatic life and biodiversity.

The next phase of the EIA involves evaluating potential mitigation strategies to reduce or eliminate the negative environmental impacts identified. These strategies may include using environmentally friendly materials, such as low-emission pipes or corrosion-resistant coatings, to minimize long-term environmental harm. In some cases, it may be necessary to reroute proposed infrastructure to avoid environmentally sensitive areas or to limit disruption to local ecosystems. For example, the installation of pipelines in wetlands or near wildlife corridors may require specific construction techniques, such as trenchless methods, to minimize disturbance.

Another important mitigation strategy is the restoration of disturbed areas after construction is completed. This may involve replanting vegetation, stabilizing soil to prevent erosion, and restoring natural water flows. In addition, measures such as sediment control barriers and the use of silt fences can help reduce the risk of water pollution during excavation activities. Proper waste management practices, such as recycling construction debris and properly disposing of hazardous materials, are also critical to minimize the environmental footprint of the installation process.

Monitoring is an essential component of the EIA process. After construction, ongoing monitoring ensures that the mitigation measures implemented during the construction phase are effective and that the environment is protected. This may include periodic inspections of the construction site, monitoring water quality in nearby water bodies, and conducting noise and air quality assessments to ensure that levels remain within acceptable limits. Long-term monitoring can also help identify potential risks, such as leaks or pipeline failures, that may require immediate action to prevent environmental damage.

PRACTICAL WORK TASK TOPIC 14

Theoretical questions

1. What are the main environmental impacts associated with the placement of urban engineering networks?
2. How do trenchless technologies help minimize the environmental impact of pipeline installation?
3. What factors should be considered when evaluating the potential risks to water quality during the placement of water and sewer networks?
4. What are some common mitigation strategies used to reduce the environmental impact of construction activities during urban network installation?
5. How can continuous monitoring after the installation of urban engineering networks contribute to environmental protection and sustainability?

15 OVERCOMING CHALLENGES IN LAYING NETWORKS IN HIGH-DENSITY URBAN AREAS

Purpose of the lesson.

This lesson aims to explore the challenges associated with laying urban engineering networks, particularly in high-density urban areas, and the methods used to overcome these challenges. The goal is to understand the complex considerations involved in installing water, sewer, heat, and gas networks in densely populated environments. The work will delve into urban infrastructure requirements, logistical

concerns, regulatory hurdles, and technological solutions for optimizing the installation process in challenging settings.

Theoretical provisions.

Laying networks in high-density urban areas presents a unique set of challenges due to the limitations posed by the existing infrastructure, high population density, and the need to minimize disruptions to daily activities. Urban environments with limited available space often require careful planning to ensure that new networks integrate with existing systems without causing significant disruption to services or local communities.

In densely populated areas, space constraints are one of the most pressing challenges. Streets may already be crowded with existing utilities such as water, gas, electricity, and telecommunications networks, and any new installation must be planned to avoid interference with these services. Additionally, high population density leads to increased traffic congestion, pedestrian activity, and noise, which can make construction activities more difficult and disruptive. Furthermore, high-density environments often have older infrastructure that may require upgrades or replacements before new networks can be installed, adding another layer of complexity to the process.

Another important challenge is the protection of residents' safety and minimizing inconvenience during construction. Laying networks in urban areas often involves excavation and disruption of public spaces, which can pose risks to the local population, including accidents, exposure to hazardous materials, and noise pollution. Managing traffic flow and pedestrian movement around construction sites is essential to maintaining safety and accessibility. Moreover, the maintenance of utility services during construction is critical to avoid disruptions to water, sewer, gas, and electricity supply.

High-density urban environments often feature complex geological conditions, including varying soil types, water tables, and existing underground structures. The variability of these conditions requires careful geotechnical studies to ensure that excavation and installation are carried out safely and efficiently. Poor soil conditions

or high groundwater levels can complicate excavation work, requiring specialized techniques to stabilize the site and prevent flooding or soil collapse.

Regulatory compliance is another challenge when laying networks in high-density urban areas. Construction activities must adhere to stringent regulations regarding environmental protection, noise reduction, air quality, and public safety. Local zoning laws, building codes, and traffic management regulations also play a crucial role in determining how and where networks can be installed. Permitting and approvals may be delayed due to the complexity of coordinating with various stakeholders, including municipal authorities, utility providers, and local communities.

Finally, the integration of modern technologies such as smart sensors, automation, and trenchless technologies can help overcome many of the challenges associated with urban network installation. These innovations offer ways to minimize disruption, reduce costs, and improve efficiency by enabling more precise and less invasive construction methods. Trenchless technologies, in particular, allow for the installation of pipelines without the need for large-scale excavation, which significantly reduces surface disruption and environmental impact.

Main part.

The primary challenges of laying networks in high-density urban areas stem from the need to navigate limited space, congested infrastructure, and complex environmental conditions. To overcome these difficulties, detailed planning and innovative solutions are essential.

One of the key strategies for addressing space constraints is the careful mapping and coordination of existing infrastructure. Modern mapping technologies, such as Geographic Information Systems (GIS), allow engineers to create detailed representations of underground utilities, helping to plan new installations without interfering with existing systems. This reduces the risk of damaging existing utilities during excavation and ensures that the new networks are properly integrated into the urban fabric. In many cases, upgrading or replacing aging infrastructure may be necessary to accommodate new networks, which requires close coordination between utility companies and local authorities.

To manage the increased risk of disruption and safety hazards, construction activities must be carefully planned and executed in stages. This includes maintaining continuous communication with residents and businesses to inform them of construction schedules and potential disruptions. Traffic management plans should be implemented to ensure that road closures and detours are effectively managed, minimizing the impact on daily activities. Additionally, pedestrian safety must be prioritized through clear signage, barriers, and the presence of safety personnel at key locations.

The need for specialized techniques arises when dealing with geological challenges. In many high-density urban areas, excavation must contend with varied soil types and high water tables, which can complicate construction. Geotechnical studies help determine the most appropriate methods for excavation and installation, such as the use of ground stabilization techniques, dewatering systems, and shoring methods to prevent collapse or flooding during work.

Trenchless technologies have proven to be particularly effective in overcoming these challenges. These methods, such as horizontal directional drilling (HDD), microtunneling, and pipe bursting, allow for the installation of networks without large-scale excavation. By creating smaller access points and utilizing advanced machinery to install pipes and cables beneath the surface, trenchless methods significantly reduce surface disruption, minimize traffic impact, and shorten construction timelines. This technology is particularly beneficial in densely populated areas where minimizing disruption is a top priority.

Another solution is the use of pre-fabricated or modular components that can be quickly assembled on-site, reducing the need for time-consuming on-site fabrication and extensive excavation. Prefabrication allows for precise planning and the reduction of human error during installation, leading to faster, more efficient construction.

In addressing regulatory compliance, construction projects must work closely with municipal authorities to ensure all required permits and approvals are obtained. Public consultation processes may also be necessary to ensure that local residents are informed of the project's potential impact and have an opportunity to voice concerns.

Environmental assessments and noise control measures should be incorporated into the planning process to ensure that construction activities do not exceed permissible limits.

Finally, post-construction monitoring is essential to ensure that networks remain efficient and safe. Implementing smart technology, such as sensors and real-time monitoring systems, enables ongoing tracking of the network's performance and can quickly detect potential issues, allowing for faster maintenance and repairs. This not only enhances system reliability but also helps prevent service interruptions in densely populated areas.

PRACTICAL WORK TASK TOPIC 15

Theoretical questions

1. What are the main challenges associated with laying networks in high-density urban areas?
2. How can modern mapping technologies such as GIS help overcome space constraints during network installation?
3. Why are trenchless technologies particularly beneficial for urban network installation in densely populated areas?
4. What strategies can be employed to ensure safety and minimize disruption during construction in high-density urban environments?
5. How does post-construction monitoring using smart technologies contribute to the ongoing efficiency of urban networks?

16 IMPLEMENTATION OF SMART TECHNOLOGIES IN THE DEVELOPMENT OF URBAN ENGINEERING NETWORKS

Purpose of the lesson.

The purpose of this lesson is to explore the role of smart technologies in the development of urban engineering networks, focusing on how these innovations contribute to the design, operation, and management of systems such as water, sewer, heat, and gas networks in urban areas. The goal is to understand how integrating advanced technologies enhances the efficiency, sustainability, and resilience of urban

infrastructure, while addressing challenges such as population growth, resource management, and climate change.

Theoretical provisions.

Smart technologies, including automation, real-time data analytics, and sensor networks, are increasingly integrated into urban engineering networks to improve performance and reduce operational costs. These technologies enable a more dynamic, responsive infrastructure that can adapt to changing conditions, optimize resource use, and prevent failures before they occur. By leveraging these innovations, cities can enhance the sustainability of their infrastructure, improve service delivery, and create more resilient urban environments.

Urban engineering networks traditionally operated with minimal monitoring and control, often relying on manual processes and reactive maintenance. This approach, while effective in the past, is no longer sufficient in the face of growing urban populations, climate variability, and the increasing complexity of infrastructure systems. Smart technologies allow for real-time monitoring of key parameters, such as water flow, pressure, temperature, and gas leakage, enabling immediate detection of issues and facilitating more efficient management of resources.

The Internet of Things (IoT) is one of the central components of smart technologies in urban networks. Through the deployment of sensors and connected devices, IoT enables the continuous monitoring of urban infrastructure and facilitates the collection and analysis of vast amounts of data. This data is then processed and analyzed to provide insights into system performance, identify inefficiencies, and predict potential failures. For instance, IoT-enabled water meters can track consumption patterns and detect leaks in real-time, while smart valves can adjust water flow dynamically to optimize pressure across the network.

Another key feature of smart technologies in urban engineering networks is the use of predictive analytics. By analyzing historical data and applying machine learning algorithms, predictive models can forecast future demand, identify potential bottlenecks, and optimize the operation of the entire system. For example, predictive

models can help optimize energy consumption in district heating networks, ensuring that resources are used efficiently and cost-effectively.

Smart grid technologies, particularly in energy and gas networks, also play a critical role in urban infrastructure. These systems integrate sensors, communication networks, and control systems to enable two-way communication between utilities and consumers, allowing for better demand response, fault detection, and maintenance scheduling. The integration of renewable energy sources, such as solar and wind, into urban grids is facilitated by smart technologies, ensuring a balanced supply of energy and improved system reliability.

Moreover, the use of smart technologies can significantly enhance the resilience of urban engineering networks. By enabling real-time monitoring and data-driven decision-making, cities can proactively manage risks, respond to emergencies more efficiently, and reduce the impact of disruptions on the population. For example, in the case of a severe storm, smart systems can detect flooding in real-time and automatically reroute wastewater to prevent system overloads, protecting both infrastructure and public health.

Main part.

The implementation of smart technologies in urban engineering networks is transforming the way cities manage their infrastructure. These technologies offer substantial benefits in terms of efficiency, sustainability, and resilience, providing cities with the tools they need to address the challenges posed by urbanization and environmental change.

One of the main advantages of smart technologies is the ability to optimize resource management. In water networks, for example, real-time monitoring of water quality, pressure, and flow allows for immediate detection of leaks, reducing water loss and improving overall system efficiency. Smart meters enable detailed tracking of water consumption, which can be used to identify areas with excessive usage or potential inefficiencies. By integrating predictive analytics, utilities can forecast future water demand, plan maintenance activities more effectively, and optimize water distribution.

Similarly, in sewer networks, smart sensors placed at key locations can monitor wastewater flow and detect blockages or overflows before they become significant issues. This proactive approach minimizes the need for emergency repairs, reduces the risk of environmental contamination, and ensures the continuous operation of critical services. Smart wastewater treatment plants also use sensors to monitor the quality of effluent and adjust treatment processes in real-time, ensuring compliance with environmental standards and improving energy efficiency.

In gas distribution networks, smart technologies enhance safety and operational efficiency. Gas leak detection systems, powered by IoT sensors, can instantly identify potential leaks and send alerts to operators, allowing for swift action to prevent hazardous situations. Pressure and flow sensors provide real-time data, ensuring that gas is delivered efficiently and safely to consumers. Smart grids also allow for the integration of renewable energy sources, such as biogas or hydrogen, ensuring a more flexible and resilient energy system.

Heat supply networks benefit from smart technologies in several ways. District heating systems, for example, can use smart meters and sensors to monitor energy usage and adjust heating levels based on real-time demand. This not only reduces energy consumption but also ensures that consumers receive the optimal level of heating, improving comfort and efficiency. Furthermore, the integration of renewable energy sources, such as solar thermal energy or geothermal heat, is facilitated by smart control systems that balance energy input from various sources to meet demand.

The implementation of smart technologies also improves the operational management of urban engineering networks. Centralized control centers use real-time data to monitor system performance, predict failures, and schedule maintenance activities more efficiently. This reduces downtime, extends the lifespan of infrastructure, and minimizes the cost of repairs. Additionally, advanced data analytics can be used to identify patterns of inefficiency, allowing utilities to prioritize improvements and investments.

The resilience of urban networks is significantly enhanced by smart technologies. For example, in the event of a disaster, such as an earthquake or flood, smart systems

can automatically adjust the operation of water, sewer, or gas networks to minimize damage and disruption. Automated valves and switches can isolate affected areas, reducing the impact of system failures and ensuring that services remain operational in unaffected regions. Furthermore, data-driven decision-making allows for better emergency response, with operators able to access real-time information and coordinate their actions more effectively.

Finally, smart technologies play a critical role in fostering sustainability in urban environments. By optimizing resource use, reducing waste, and integrating renewable energy sources, these technologies contribute to more sustainable cities. Smart systems can also help track and reduce carbon emissions, supporting cities in meeting climate goals and enhancing their environmental performance.

PRACTICAL WORK TASK TOPIC 16

Theoretical questions

1. How do smart technologies enhance the efficiency and sustainability of urban engineering networks?
2. What role do IoT sensors play in the operation of water, sewer, heat, and gas networks?
3. How can predictive analytics help optimize the operation of urban engineering networks?
4. In what ways do smart technologies improve the resilience of urban infrastructure during emergencies?
5. How do smart technologies support the integration of renewable energy sources into urban heat and gas supply systems?

LIST OF RECOMMENDED SOURCES

1. Lintao F. Temperature field analysis in tunnel construction ventilation with emphasis on duct leakage and thermal conductivity [Electronic resource] / Lintao Fan, Liangliang Tao, Shuqi Duan // Case Studies in Thermal Engineering. – Electronic text data. – 2024. – Vol. 61. – Regime of access: <https://doi.org/10.1016/j.csite.2024.105102>, free (date of the application: 18.05.2025). – Header from the screen.
2. Burda Y. Comprehensive analysis of thermodynamic and thermophysical processes in heat and gas supply and ventilation systems: theoretical foundations and engineering solutions [Electronic resource] : monograph / Burda Yurii ; O. M. Beketov National University of Urban Economy in Kharkiv. – Electronic text data. – Kharkiv : O. M. Beketov NUUE, 2025. – 130 p. – Regime of access: <https://eprints.kname.edu.ua/68140/>, free (date of the application: 18.05.2025). – Header from the screen.
3. ДБН В.2.6-31:2021. Теплова ізоляція та енергоефективність будівель. – Чинний від 2022–01–09. – Київ : Міністерство розвитку громад та територій України, 2021. – 27 с.
4. ДБН В.2.5-20:2018. Газопостачання. – Чинний від 2020–01–06. – Київ : Мінрегіонбуд України, 2019. – 109 с.
5. ДБН В.2.5-77:2014. Котельні зі зміною № 1. – Чинний від 2018–01–07. – Київ : Мінрегіонбуд України, 2022. – 55 с.
6. Ming-Rui L. Effect of tunnel ventilation on surrounding rock temperature field and heat regulating circle during construction phase [Electronic resource] / Ming-Rui Luo, Yu-Chun Tao, Zuo-Bing Yuan // Tunnelling and Underground Space Technology. – Electronic text data. – 2024. – Vol. 150. – Regime of access: <https://doi.org/10.1016/j.tust.2024.105835>, free (date of the application: 18.05.2025). – Header from the screen.

Електронне навчальне видання

Методичні рекомендації

до проведення практичних занять та самостійної роботи
з навчальної дисципліни

«МІСЬКІ ІНЖЕНЕРНІ МЕРЕЖІ»

*(для здобувачів першого (бакалаврського) рівня вищої освіти всіх форм
навчання зі спеціальності 192 – Будівництво та цивільна інженерія
галузі знань 19 – Архітектура та будівництво,
освітня програма «Цивільна інженерія»)*

(англ. мовою)

Укладач **БУРДА** Юрій Олександрович

Відповідальний за випуск *Ю. І. Чайка*

За авторською редакцією

Комп'ютерне верстання *Ю.О. Бурда*

План 2025, поз. 503М

Підп. до друку 21.05.2025. Формат 60 × 84/16.
Ум. друк. арк. 4,0.

Видавець і виготовлювач:

Харківський національний університет
міського господарства імені О. М. Бекетова,
вул. Чорноглазівська (Маршала Бажанова), 17, Харків, 61002.

Електронна адреса: office@kname.edu.ua

Свідоцтво суб'єкта видавничої справи:

ДК № 5328 від 11.04.2017.